



## KCTD1 gene

potassium channel tetramerization domain containing 1

### Normal Function

The *KCTD1* gene provides instructions for making a protein that acts as a transcriptional repressor, which means that it turns off (represses) the activity of certain genes when they are not needed. A region of the KCTD1 protein called the BTB domain is essential for the protein's transcriptional repressor function.

The KCTD1 protein is thought to control (regulate) the activity of genes involved in the development of an embryonic cell layer called the ectoderm. Within the developing embryo, the ectoderm gives rise to several body tissues including the skin, hair, nails, and teeth.

### Health Conditions Related to Genetic Changes


#### scalp-ear-nipple syndrome

At least 10 mutations in the *KCTD1* gene have been identified in people with scalp-ear-nipple syndrome; as its name suggests, this condition is characterized by abnormalities of the scalp, ears, and nipples. The mutations associated with scalp-ear-nipple syndrome affect the BTB domain of the KCTD1 protein and impair its transcriptional repressor function. This impairment results in abnormal regulation of genes involved in ectodermal development. The altered gene activity disrupts normal development of the tissues that arise from the ectoderm (ectodermal dysplasia) and leads to the signs and symptoms of scalp-ear-nipple syndrome.

## Chromosomal Location

Cytogenetic Location: 18q11.2, which is the long (q) arm of chromosome 18 at position 11.2

Molecular Location: base pairs 26,454,910 to 26,657,401 on chromosome 18 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

## Other Names for This Gene

- C18orf5
- potassium channel tetramerisation domain containing 1
- potassium channel tetramerization domain-containing protein 1
- SENS

## Additional Information & Resources

### Educational Resources

- Embryo Project Encyclopedia (Arizona State University): Ectoderm  
<https://embryo.asu.edu/pages/ectoderm>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28KCTD1%5BTIAB%5D%29+OR+%28potassium+channel+tetramerization+domain+containing+1%5BTIAB%5D%29%29+OR+%28%28potassium+channel+tetramerisation+domain+containing+1%5BTIAB%5D%29+OR+%28potassium+channel+tetramerization+domain-containing+protein+1%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

## OMIM

- POTASSIUM CHANNEL TETRAMERIZATION DOMAIN-CONTAINING PROTEIN 1  
<http://omim.org/entry/613420>

## Research Resources

- ClinVar  
<https://www.ncbi.nlm.nih.gov/clinvar?term=KCTD1%5Bgene%5D>
- HGNC Gene Symbol Report  
[http://www.genenames.org/cgi-bin/gene\\_symbol\\_report?q=data/hgnc\\_data.php&hgnc\\_id=18249](http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=18249)
- NCBI Gene  
<https://www.ncbi.nlm.nih.gov/gene/284252>
- UniProt  
<http://www.uniprot.org/uniprot/Q719H9>

## **Sources for This Summary**

- Ding XF, Luo C, Ren KQ, Zhang J, Zhou JL, Hu X, Liu RS, Wang Y, Gao X, Zhang J. Characterization and expression of a human KCTD1 gene containing the BTB domain, which mediates transcriptional repression and homomeric interactions. *DNA Cell Biol.* 2008 May;27(5):257-65. doi: 10.1089/dna.2007.0662.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/18358072>
- Li X, Chen C, Wang F, Huang W, Liang Z, Xiao Y, Wei K, Wan Z, Hu X, Xiang S, Ding X, Zhang J. KCTD1 suppresses canonical Wnt signaling pathway by enhancing β-catenin degradation. *PLoS One.* 2014 Apr 15;9(4):e94343. doi: 10.1371/journal.pone.0094343.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/24736394>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3988066/>
- Marneros AG, Beck AE, Turner EH, McMillin MJ, Edwards MJ, Field M, de Macena Sobreira NL, Perez AB, Fortes JA, Lampe AK, Giovannucci Uzielli ML, Gordon CT, Plessis G, Le Merrer M, Amiel J, Reichenberger E, Shively KM, Cerrato F, Labow BI, Tabor HK, Smith JD, Shendure J, Nickerson DA, Bamshad MJ; University of Washington Center for Mendelian Genomics.. Mutations in KCTD1 cause scalp-ear-nipple syndrome. *Am J Hum Genet.* 2013 Apr 4;92(4):621-6. doi: 10.1016/j.ajhg.2013.03.002.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23541344>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3617379/>
- OMIM: POTASSIUM CHANNEL TETRAMERIZATION DOMAIN-CONTAINING PROTEIN 1  
<http://omim.org/entry/613420>

---

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/gene/KCTD1>

Reviewed: April 2017  
Published: April 25, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services